01 / A LITTLE CARE, REGULARLY

Looking good. Feeling ready.

A calm, simple routine to keep your wheels looking good and know when to ask for help.

Wash gently, when the wheels are cool

Rinse off loose dirt, then use a soft cloth and plenty of water. If you use a wheel cleaner, ask whether it suits your finish and follow the label. Rinse and dry afterwards.

Skip abrasive brushes, polishing compounds and strong acid or alkaline cleaners. Road salt is best washed off promptly.

Check tire pressure before it becomes a worry

Use the pressure shown on your car’s door-area label or in the owner manual. The maximum number printed on the tire is not your everyday target. Front and rear tires may need different pressures. If your wheel or tire size has changed, ask your installer for the correct settings.

Check monthly and before a long journey, or as your vehicle manual directs. For a cold reading, leave the car parked for at least three hours. A tire-pressure warning light means you need to check; you do not have to wait for it to come on. A service shop can help if you are unsure.

Know when to call your installer

If you notice a crack, air loss, new vibration, rubbing or unusual noise, stop safely and arrange an inspection before continuing. Do not try to repair a damaged wheel yourself.

After new wheels are fitted or tires are rotated, ask your installer to recheck the wheel fasteners within the first 100 km, as described in the AVORA manual. Let the workshop handle the tightening.

KEEP IT EASY

Save your order details, your installer’s contact and the next appointment together. The next page is a simple reminder sheet, with a small section your installer can complete.

02 / NOTES TO KEEP IN YOUR CAR

Your care reminders.

Save a fresh copy for each visit, or print it and ask your service shop to fill it in.

Your car

AVORA design / order number, if known

Installer / service shop

Phone / contact

Date of visit

Next visit / first-100-km check

Anything you noticed or want to ask about

FOR YOUR INSTALLER

Recommended cold pressure: front + unit

Recommended cold pressure: rear + unit

Work completed / anything the owner should know

REFERENCE NOTES

Original AVORA guide, informed by the sources below and the supplied wheel user manual. References explain general principles; vehicle-specific instructions take priority.

NHTSA | TireWise: tire safety and maintenance

Tire Rack | Your Guide to Wheel Installation

Prepared 13 October 2026. Contact: sales@welldoneforged.com | +86 173 1279 2555

03 / YOUR OPTIONAL CUSTOMIZATION REQUEST

Your size. Your words.

Planning a new order or a change? Share these preferences with the AVORA team.

Would you like to change your tire size?

- ○ No — I plan to keep my current tires.
- ○ Yes — I'd like larger or smaller tires.

If no: current tire size (front / rear)

If yes: preferred new tire size (front / rear)

Example: 235/45 R19. This is a preference; our team will check the size before you order.

Text to customize (optional): a name, initials, a date…

Choose one lettering style if you requested custom text.

- ○ **Modern minimal**
  Montserrat — Your words
- ○ **Elegant serif**
  Cormorant Garamond — Your words
- ○ **Handwritten signature**
  Dancing Script — Your words
- ○ **Bold condensed**
  Oswald — Your words
- ○ **Upload my own font or reference**

Your file name (attach the font, image or PDF with your inquiry)

Preview your wording in four fonts on the AVORA website, or upload your own style. Final lettering size, placement and artwork are confirmed with you before production.

Send this saved sheet with your vehicle details to sales@welldoneforged.com.